

**Material** 100% nitrile rubber (acrylonitrile / butadiene / methacrylic acid terpolymer); no natural rubber or sulfur-based chemical accelerators\*

### Dimensional Specifications

SIZE	Minimum Length mm (inches)	Average Palm Width mm (inches)
<b>X-Small</b>	240 (9.4)	75 (3.0)
<b>Small</b>	240 (9.4)	85 (3.3)
<b>Medium</b>	240 (9.4)	95 (3.8)
<b>Large</b>	240 (9.4)	106 (4.2)
<b>X-Large</b>	240 (9.4)	116 (4.6)

### Thickness (single)

Data from Sampling	Average Thickness
Fingertip, mm (mils)	0.08 (3.1)
Palm, mm (mils)	0.06 (2.4)

### Physical Properties (ASTM, EN, and ISO Requirements)

	Before Aging	After Aging
Freedom from Holes (inspection level 1)	2.5 AQL**	N/A
Tensile, MPa (p.s.i.) minimum	14.0 (2,030)	14.0 (2,030)
Elongation (%) minimum	500	400

Ansell manufacturing specifications meet or exceed ASTM specifications.

<b>Color</b>	Pink
<b>Accelerators</b>	None
<b>Certification</b>	Manufacturing facility registered to ISO 9001 and ISO 13485 FDA approved for handling chemotherapy drugs <sup>1</sup>
<b>Donning Agent</b>	None (powder-free)
<b>Residual Powder Content</b>	<2.0 mg/glove
<b>Quality Control</b>	In compliance with ASTM D6319 examination glove standards
<b>References</b>	ANSI/ASQ Z1.4 Sampling Procedures and Tables for Inspection by Attributes
<b>Country of Origin</b>	Malaysia
<b>Storage</b>	Cool environment, shielded from ozone and UV light

Except for applicable ASTM requirements, the above information represents typical data for the product and should not be construed or used as an actual product performance specification.

\*Does not contain any sulfur-based accelerators such as thiurams, carbamates, thiazoles, guanidine or thioureas

\*\*Acceptable quality level – maximum % of gloves with defects

1. Specific chemical resistance data available upon request: 1-800-952-9916 (U.S.A. only). Gloves used for protection against chemotherapy drugs must be selected specifically for the type of chemicals used. Review material safety data sheets for the chemicals being used to determine the required level of protection.

**For additional information and samples, call Ansell Healthcare at 800-952-9916 or visit us at [www.ansellhealthcare.com](http://www.ansellhealthcare.com)**

Ansell Healthcare Products LLC | [ansellhealthcare.com](http://ansellhealthcare.com)  
200 Schulz Drive | Red Bank, NJ 07701 U.S.A. | Phone: (800) 952-9916 (U.S.A. only)

Ansell, Micro-Touch, and NitraFree are trademarks owned by Ansell Limited or one of its affiliates. ©2010 All Rights Reserved.  
The COLOR PINK<sup>®</sup> and PINK NITRILE<sup>®</sup> are registered trademarks owned by Color World, LLC. 2006 All Rights Reserved.

SS460 02/2010

Printed on recycled paper using soy inks.



# Ansell

Everything you touch...we touch.