

ADMIRAL LIQUID GALLON PRIME LABEL
6.25" HEIGHT x 6.25" WIDTH

6.25"

6"

6"

FIRST AID

IF SWALLOWED:

Call a poison control center or doctor immediately for treatment advice.
 Have person sip a glass of water if able to swallow.
 Do not induce vomiting unless told to by a poison control center or doctor.
 Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15–20 minutes.
 Call a poison control center or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

IN CASE OF EMERGENCY

CALL CHEMTREC AT: 800-424-9300

USER SAFETY REQUIREMENT

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, tobacco, or using the toilet.
 User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Shoreline non-target plants (cattails, water lilies) may suffer contact burn if material is accidentally poured on them. Apply this product only as specified on the label. Do not make applications when weather conditions favor drift from target area. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATIONS

Use in natural or man made ponds, lakes, fountains, golf courses and swimming ponds. Water must be under the complete control of the user and have little or no outflow (dye concentration must be maintained). Do not apply directly to streams, or any body of water that may be used for human consumption. Do not apply to water for swimming pools if chlorine is used, as color will degrade.

APPLICATION PROCEDURES

Admiral Liquid is easy to apply and rate calculations are simplified. Consult the recommended dosage chart for suggested rates. Optimum results are achieved by applying prior to or early in the growing season when weeds are on the bottom of a body of water or when aquatic vegetation is growing at depths greater than 2 feet. Reapply as needed during the growing season.

Admiral Liquid is usually applied directly from the container near the shoreline. However, Admiral Liquid may even be applied while ice is still covering a body of water. Pour Admiral Liquid on the ice in a circle, approximately one yard (approx. 1 meter) in diameter. The ice will melt and Admiral Liquid will be dispersed into the water beneath the ice. Physical removal or other aquatic weed control methods may be used before or after applications of Admiral Liquid. When using an aquatic herbicide, follow all label restrictions, precautions and directions for use.

RECOMMENDED DOSAGE RATES

Area to be treated	Rate of Admiral® Liquid	
	1 ppm ⁽¹⁾	2 ppm ⁽²⁾
1 acre-foot (325,851 gal) ⁽³⁾ (1,234 cubic meters)	1 quart (0.95 liters)	2 quarts (1.9 liters)
4 acre-feet (4,936 cubic meters)	1 gallon (3.8 liters)	2 gallons (7.6 liters)
8 acre-feet (9,872 cubic meters)	2 gallons (7.6 liters)	4 gallons (15.2 liters)

- (1) The following weeds are controlled at 1 ppm when growing at depths greater than 2 feet: Filamentous Blue and Bluegreen Algae, Chara, Leafy Pond Weed, Spirogyra, Slender Naiad, Water Milfoil (treat early).
- (2) For prevention of Hydrilla tuber production, apply at 2 ppm after a herbicide treatment.
- (3) One acre-foot is an area comprising 1 acre, 1 foot deep.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.




PESTICIDE STORAGE: Store above 32°F (0°C) to prevent freezing.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, avoid inhalation of smoke.

Notice: Becker Underwood, Inc. makes no express or implied warranties of fitness or merchantability or any other kind whatsoever, except that the product conforms to the specifications on the label. Becker Underwood, Inc.'s sole liability on the warranty is limited, at Becker Underwood's option to replacement of the defective product or return of the purchase price paid for the defective product. Under no circumstances shall Becker Underwood, Inc. be liable for incidental, consequential or special damages. The buyer assumes all risks and liability resulting from the use of this product, whether used singly or in the combination with other goods. Becker Underwood, Inc. neither assumes, nor authorizes any person to assume for it, any other liability in connection with the sale or use of this product.

2LEL000000 10/09

-  BLEED AREA
-  COPY AREA
-  DIE LINE