# Contrac SUPER-SIZE BLOX

# Extruded Blox in 8 oz. size

CONTRAC Super-Size BLOX is Bell Lab's new 8 oz. extruded bait, containing the single-feeding anticoagulant Bromadiolone. This toxicant is less toxic to non-target animals in primary and secondary poisoning situations than other single-feeding anticoagulants.

An all-weather bait, CONTRAC Super-Size BLOX is formulated with the optimal blend of food-grade ingredients and low wax to yield a highly palatable, weatherable bait. It is the first bait of its kind approved by the Environmental Protection Agency (EPA) for use in sewers. In stringent weatherization tests, CONTRAC Super-Size BLOX achieved more than 60 percent acceptance, nearly twice the requirement established by the EPA.

CONTRAC Super-Size BLOX features a multi-edge design that gives rodents plenty of gnawing edges. The 8 oz. Blox fits securely in Bell's PRO-TECTA Bait Station and Bell's PROTECTA LP Rat Bait Station. A hole through the center lets PCOs wire/hang the blox for added security. CON-TRAC Super-Size BLOX is colored blue and authorized by USDA for use in federally inspected meat and poultry plants.

Packaging: 40 x 8 oz. cartons - EPA REG. NO. 12455-82



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

#### **IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

- get animals to rodenticides. To help to prevent accidents: 1. Store product not in use in a location out of reach of children and pets.
  - 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamperresistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
  - Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

### USE RESTRICTIONS:

This product may be used to control Norway rats in sewers and to control Norway rats and roof rats at the sites indicated below.

### URBAN AREAS:

May be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC SUPER-SIZE BLOX may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. May also be used in alleys and sewers.

### NON-URBAN AREAS:

May be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

## Specimen Label



### KILLS NORWAY RATS AND ROOF RATS

### Kills Warfarin Resistant Norway Rats

Norway rats may consume a lethal dose in one feeding with first dead rodents appearing four to five days after treatment begins.

ACTIVE INGREDIENT: Bromadiolone;
3-[3-(4' -Bromo-[1,1'-biphenyl]-4-yl)-3-hydroxy-1-
phenylpropyl]-4-hydroxy-2H-1-benzopyran-

2-one		0.005%
INERT INGREDIENTS*		99.995%
*Contains Denatonium Benzoate	TOTAL	100.000%

### KEEP OUT OF REACH OF CHILDREN CAUTION

This product may be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

(See right panel for additional precautionary statements.)

For 24-hour emergency medical advice, call 1-877-854-2494.

### Manufactured by:



EPA EST. NO. 12455-WI-1 EPA REG. NO. 12455-82

### DIRECTIONS FOR USE (Continued from other panel) APPLICATION DIRECTIONS:

Apply 1 or 2 bait blocks per placement. One 8-oz. bait block may provide enough bait to kill two to eight rats. Use two blocks only at points of extremely high rat activity. Space placements at appropriate intervals--usually 15 to 30 feet apart. In sewer applications use wire to secure bait blocks above the high water mark. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container in a dry area inaccessible to children and pets. PESTICIDE DISPOSAL: Wastes resulting from the use of this

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty carton. Then dispose of empty carton in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin  $K_1$  intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.