## **GREEN LIGHT**

## **CUT VINE & STUMP KILLER**

## Ready-To-Use Stump, Sprig And Cut Vine Treatment. May Be Applied As A Foliar Spray To Brush And Weeds



**Active Ingredient:** Triclopyr 8.8%

Size: 8 Ounce

## **Usage & Application:**

**Green Light** *Cut Vine & Stump Killer* is recommended for the control of unwanted woody plants and vines around homes, cabins, buildings, trails, fences, walkways, rights-of-way, and other non-crop areas.

Woody Plants and Vines Controlled Include: Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, Cherry, Cottonwood, Crataegus (Hawthorn), Douglas Fir, Elderberry, Elm, Honeysuckle, Kudzu, Locust, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon, Pine, Poison Ivy, Poison Oak, Virginia Creeper, Willow, Winged Elm, Wild Grape, and Wild Rose.

**Directions:** For best results, apply when brush and weeds are fully leafed out and actively growing. Wilting or other symptoms will occur within 1-6 weeks. Apply only when the air is calm to prevent drift to desirable vegetation. Rainfall within 24 hours may reduce effectiveness.

**Foliage Spray:** Using a hose-end or tank sprayer, mix 8 to 16 tablespoons (4 to 8 fl. oz.) in one gallon of water. For mature or hard to control plants, or during dry conditions, use the higher rate of application. Apply the one-gallon spray mixture to 500 sq. ft. of area. Apply as thorough foliage spray to wet all leaves.

**Stump Treatment:** To kill stumps and prevent sprouting, apply the undiluted product to completely cover the freshly cut surface.

**Vine Control:** When treating vines such as Poison Oak, Poison Ivy, etc. that grow on or around desirable plants, do not allow to contact desirable vegetation. Cut the vine first and treat as directed for stump treatment.