

## DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Tradename/Synonym : DPX-14740

Karmex 80DF Direx 80DF B12017289

DIURON 3-[3,4-Dichlorophenyl]-1,1-dimethylurea

MSDS Number : 130000029417

Manufacturer : DuPont

1007 Market Street Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

### **SECTION 2. HAZARDS IDENTIFICATION**

### **Emergency Overview**

Caution

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin . Avoid contact with skin, eyes and clothing.

### Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin

Diuron : May cause skin irritation. Discomfort, Rash.

Eyes

Diuron : May cause eye irritation. Discomfort, tearing, Blurred vision.

Ingestion

Diuron : May cause: Abnormal decrease in number of red blood cells (anaemia)

which could produce tiredness, rapid heartbeat, dizziness, pale skin, leg

cramps, shortness of breath

### Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration



# DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

Diuron	330-54-1	80 %
Other Ingredients		20 %

### **SECTION 4. FIRST AID MEASURES**

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a

glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth

to an unconscious person.

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Flammable Properties

Ignition temperature : 455 °C (851 °F)

Lower explosion limit : 0.070 g/l

Fire and Explosion Hazard : Under severe dusting conditions, this material may form explosive mixtures in

air.

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear full

protective equipment. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water



# DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

system.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal. Take special care

to avoid contamination of equipment and facilities during cleanup procedures

and disposal of wastes.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return

spills in original containers for re-use.

### **SECTION 7. HANDLING AND STORAGE**

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon

as possible, wash thoroughly and change into clean clothing.

Storage : Store in original container. Do not contaminate water, other pesticides,

fertilizer, food or feed in storage. Keep containers tightly closed in a dry, cool

and well-ventilated place. Keep out of the reach of children.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation. When handlers use closed systems, enclosed

cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Refer to the product label for additional Engineering Controls.

Personal protective equipment

Skin and body protection : Pilots, flaggers and groundboom applicators must wear:

Long sleeved shirt and long pants

Shoes plus socks

Mixers, loaders, applicators and other handlers must wear:

Long sleeved shirt and long pants

Shoes plus socks

Chemical resistant gloves made of any waterproof material

A NIOSH approved dust/mist filtering respirator with any N, R, P, or HE filter



## DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

or with approval number prefix TC-21C.

Chemical resistant apron when mixing, loading, or cleaning equipment or

spills.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has

been treated, such as plants, soil, or water, is:

Coveralls

Chemical resistant gloves made of any waterproof material

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

Exposure Guidelines Exposure Limit Values

Diuron

TLV (ACGIH) 10 mg/m3 TWA

AEL \* (DUPONT) 1 mg/m3 8 & 12 hr. TWA Total dust.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Form : solid, granules

Color : brown
Density : 40 lb/ft³
Water solubility : dispersible

#### **SECTION 10. STABILITY AND REACTIVITY**

Stability : Stable at normal temperatures and storage conditions.

Incompatibility : No materials to be especially mentioned.

Hazardous reactions : Polymerization will not occur.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Inhalation 4 h LC50 : > 2.02 mg/l, rat

Dermal LD50 Dermal : > 5,000 mg/kg, rabbit

Oral LD50 Oral : > 5,000 mg/kg , rat

4/8

<sup>\*</sup> AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



# DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

Skin irritation : Species: rabbit, slight irritation

Eye irritation : Species: rabbit, Moderate eye irritation

Sensitisation : Species: guinea pig, Animal test did not cause sensitization by skin

contact.

Diuron

Repeated dose toxicity : The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral, rat

Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes, Kidney effects, Bladder effects, Reduced body weight gain

Oral, dog

Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes,

Reduced body weight gain

Inhalation, rat

Red blood cell destruction causing abnormal decrease in number of

red blood cells (anaemia), Spleen effects

Carcinogenicity : The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

An increased incidence of tumours was observed in laboratory

animals.

Mutagenicity : Evidence suggests this substance does not cause genetic damage in

animals., Did not cause genetic damage in cultured bacterial cells., Genetic damage in cultured mammalian cells was observed in one

laboratory test but was not observed in others.

Reproductive toxicity : Animal testing did not show any effects on fertility.

Teratogenicity : Animal testing showed effects on embryo-foetal development at levels

equal to or above those causing maternal toxicity.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Aquatic Toxicity** 

DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 190 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 300 mg/l

Diuron

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 25 mg/l



# DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 14.7 mg/l

72 h EC50 : Algae 0.018 mg/l

48 h EC50 : Daphnia magna (Water flea) 1.4 mg/l

Toxicity to other organisms

Diuron

LD50 : Colinus virginianus (Bobwhite quail) 1,104 mg/kg

Additional ecological information : Environmental Hazards: For Terrestrial Uses: Do not apply directly to

water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product may be disposed of on site or at an approved waste

disposal facility.

Container Disposal : Refer to the product label for instructions.

Container Refilling and Disposal:

If the container is to be refilled, do not rinse with any material or introduce any

pesticide other than this product.

DO NO REUSE THE CONTAINER FOR ANY OTHER PURPOSE.

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day

or night.

### **SECTION 14. TRANSPORT INFORMATION**

IMDG UN-Number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Diuron)

Class : 9
Packaging group : III
Labelling No. : 9

Marine pollutant

Not regulated by DOT in single packages containing less than 100 pounds.

Not regulated as a hazardous material by IATA.

Optional classification as per IATA Special Provision A97.



## DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010 Ref. 130000029417

#### **SECTION 15. REGULATORY INFORMATION**

SARA 313 Regulated

Chemical(s)

: Diuron

Title III hazard classification

: Acute Health Hazard: Yes Chronic Health Hazard: Yes

Fire: No

Reactivity/Physical hazard: No

Pressure: No

CERCLA Reportable

Quantity

: 125 lbs

Based on the percentage composition of this chemical in the product.: Diuron

EPA Reg. No. : 352-692

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : WARNING! This product contains a chemical known to the State of California

to cause cancer.

Diuron

### **SECTION 16. OTHER INFORMATION**

NFPA HMIS
Health : 1 2
Flammability : 1 1 1
Reactivity/Physical hazard : 0 0

MSDS preparation date : 02/24/2010

DuPont<sup>™</sup>, Karmex<sup>®</sup> are trademarks of E. I. du Pont de Nemours and Company

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.



# DuPont<sup>™</sup> Karmex<sup>®</sup> XP Herbicide

Version 2.1

Revision Date 02/24/2010

Ref. 130000029417