

"DuPont" "OUST" XP HERBICIDE Revised 19-JAN-2010 ______ Substance ID : 130000029167 ______ CHEMICAL PRODUCT/COMPANY IDENTIFICATION ______ Material Identification "OUST" is a registered trademark of DuPont. "DuPont" is a trademark of DuPont. Tradenames and Synonyms DPX-T5648 B11159747 Company Identification MANUFACTURER/DISTRIBUTOR DuPont 1007 Market Street Wilmington, DE 19898 PHONE NUMBERS Product Information : 1-800-441-7515 (outside the U.S. 302-774-1000) Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S. 703-527-3887) Medical Emergency : 1-800-441-3637 (outside the U.S. 302-774-1000) COMPOSITION/INFORMATION ON INGREDIENTS Components Material CAS Number SULFOMETURON METHYL (Methyl 2-[[[(4,6-dimethyl-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]benzoate) INERT INGREDIENTS 25 HAZARDS IDENTIFICATION Emergency Overview CAUTION! Causes (moderate) eye injury (irritation). Avoid contact with eyes or clothing.

Potential Health Effects

Based on animal data, skin contact with Oust XP may cause irritation with discomfort or rash.

Based on animal data, eye contact with Oust XP may cause eye irritation with discomfort, tearing, or blurring of vision.

Based on animal data, ingestion of high doses of Sulfometuron Methyl may lead to red blood cell destruction.

Carcinogenicity Information

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

FIRST AID MEASURES

First Aid

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: No specific intervention is indicated as the product is not likely to be hazardous by inhalation. Consult a physician if necessary.

IF ON SKIN OR CLOTHING: No specific intervention is indicated as the product is not likely to be hazardous to skin. Consult a physician if necessary.

IF SWALLOWED: No specific intervention is indicated as compound is not likely to be hazardous by ingestion. Consult a physician if necessary.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

FIRE FIGHTING MEASURES

Flammable Properties

Flammable limits in Air, % by Volume LEL : 0.092 g/L

Not a fire or explosion hazard.

Like most organic powders or crystals, under severe dusting

conditions, this material may form explosive mixtures in air.

Extinguishing Media

Water Spray, Foam, Dry Chemical, CO2.

Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment. Use water spray. Runoff from fire control may be a pollution hazard.

If area is exposed to fire and conditions permit, let fire burn itself out. Burning chemicals may produce by-products more toxic than the original material. If product is on fire, wear self-contained breathing apparatus and full protective equipment. Use water spray. Control runoff.

ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Emergency Response - Chemical resistant coveralls, waterproof gloves, waterproof boots and face/eye protection. If dusting occurs, use NIOSH approved respirator protection.

Initial Containment

Dike spill. Prevent material from entering sewers, waterways, or low areas.

Follow applicable Federal, State/Provincial and Local laws/regulations.

Spill Clean Up

Shovel or sweep up.

HANDLING AND STORAGE

Handling (Personnel)

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Avoid breathing vapors or mist. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Do not store or consume food, drink, or tobacco in

areas where they may become contaminated with this material.

Handling (Physical Aspects)

Avoid dust generation. Keep away from heat, sparks and flames.

Storage

Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in a cool, dry place. Keep out of reach of children.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use only with adequate ventilation. Keep container tightly closed.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Personal Protective Equipment

Always follow the label instructions when handling this product.

Applicators and other handlers must wear: Long-sleeved shirt and long pants. Shoes plus socks.

Follow manufacturer instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Chemical resistant gloves made of any waterproof material.

Shoes plus socks.

Exposure Guidelines

Applicable Exposure Limits

SULFOMETURON METHYL

PEL (OSHA) : None Established TLV (ACGIH) : 5 mg/m3, 8 Hr. TWA, A4

AEL * (DuPont) : 10 mg/m3, 8 & 12 Hr. TWA total dust

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

PHYSICAL AND CHEMICAL PROPERTIES

Physical Data

Solubility in Water : Dispersible

Odor : None

Form : Solid, dry flowable

Color : Off-white Bulk Density (Loose) : 33 lb/cu ft
Bulk Density (Packed) : 39 lb/cu ft

STABILITY AND REACTIVITY

Chemical Stability

Stable at normal temperatures and storage conditions.

Incompatibility with Other Materials

None reasonably foreseeable.

Decomposition

Decomposition will not occur.

Polymerization

Polymerization will not occur.

TOXICOLOGICAL INFORMATION

Animal Data

Oust XP

Inhalation 4 hour LC50: > 5.3 mg/L in rats

(Slightly to moderately toxic by contact)

Oral LD50: > 5000 mg/kg in rats

(Very low toxicity by ingestion)

Oust XP is a slight to mild skin irritant, and a mild eye irritant, but is not a skin sensitizer in animals.

Single inhalation exposure with Oust XP (Sulfometuron Methyl 75%) in rats caused slight to moderate body weight loss, nasal and ocular discharge, and other nonspecific effects.

Single high oral doses of Oust XP (Sulfometuron Methyl 75%) produced no clinical signs of toxicity and no lesions were observed during pathological examination of tissue.

Repeated oral studies with the active ingredient, Sulfometuron Methyl, caused decreased body weight gain, liver changes, red blood cell hemolysis, and altered white blood cell counts. Long-term exposure caused mild hemolytic anemia, decreased body weight, alteration of clinical chemical parameters, and changes in the bile duct.

Animal testing indicates that the active ingredient, Sulfometuron Methyl, does not have carcinogenic effects. In a two generation rat reproduction study with the active ingredient, Sulfometuron Methyl, decreased numbers of pups were observed at the 5000 ppm level, a dose that was also maternally toxic. No reproductive effects were observed at 500 ppm.

Sulfometuron methyl did not produce developmental toxicity when tested in animals. Sulfometuron methyl did not produce genetic damage in bacterial or mammalian cell cultures.

ECOLOGICAL INFORMATION

Ecotoxicological Information

AQUATIC TOXICITY:

SULFOMETURON METHYL

48 hour NOEC - Daphnia magna: > 150 mg/L.

96 hour LC50 - Rainbow trout: > 148 mg/L.

96 hour LC50 - Bluegill sunfish: > 150 mg/L.

AVIAN TOXICITY:

SULFOMETURON METHYL

Acute Dietary LC50 - Mallard Duck: > 5000 ppm.

Acute Dietary LC50 - Bobwhite Quail: > 5620 ppm

DISPOSAL CONSIDERATIONS

Waste Disposal

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Do not contaminate water supply, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of

on site or at an approved waste disposal facility.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

Container Disposal

Refer to the product label for instructions.

The container must only be refilled with this pesticide product. DO NO REUSE THE CONTAINER FOR ANY OTHER PURPOSE.

Do not transport if the container is damaged or leaking.

Disposal of the container must be in compliance with state and local regulations.

For minor spills, leaks, etc., follow all precautions indicated on this label and clean up immediately. In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

TRANSPORTATION INFORMATION

Shipping Information

DOT: Not regulated by DOT.

IMDG:

UN/NA No. : UN 3077

Proper Shipping Name: Environmentally hazardous substance,

solid, n.o.s. (Sulfometuron methyl)

Hazard Class : 9
Packing Group : III
Marine Pollutant : Yes

IATA: Not regulated as a hazardous material by IATA.

Optional UN 3077 classification allowed per IATA

Special Provision A97.

REGULATORY INFORMATION

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute : Yes Chronic : No Fire : No

Reactivity : No Pressure : No

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

EPA Reg. No. 352-601

OTHER INFORMATION

NFPA, NPCA-HMIS

NFPA Rating

Flammability : 1
Reactivity : 0

NPCA-HMIS Rating

: 1 Health Flammability : 1 : 0 Reactivity

Personal Protection rating to be supplied by user depending on use conditions.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: DuPont Crop Protection : Wilmington, DE 19898 Address

Telephone : 1-888-638-7668

Indicates updated section.

(Continued)