

8-6-6
GUARANTEED ANALYSIS

Total Nitrogen (N).....	8.00%
6.0% Ammoniacal Nitrogen	
2.0% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	6.00%
Soluble Potash (K ₂ O).....	6.00%
Magnesium (Mg).....	0.60%
0.50% Water Soluble Magnesium (Mg)	
Sulfur (S).....	5.50%
5.50% Combined Sulfur (S)	
Boron (B).....	0.02%
Copper (Cu).....	0.05%
0.05% Water Soluble Copper (Cu)	
Iron (Fe).....	1.00%
1.00% Water Soluble Iron (Fe)	
Manganese (Mn).....	1.00%
1.00% Water Soluble Manganese (Mn)	
Molybdenum (Mo).....	0.0005%
0.0005% Water Soluble Molybdenum (Mo)	
Zinc (Zn).....	0.05%
0.05% Water Soluble Zinc (Zn)	

Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Magnesium Sulfate, Sodium Tetraborate, Copper Sulfate, Iron Sulfate, Manganese Sulfate, Sodium Molybdate, and Zinc Sulfate.

APPLICATION RATES		
CROP	PEST	DOSAGE
Flower Beds	Adelgids	2 ounces per 50 square feet (5 ft. x 10 ft. bed area)
	Aphids	
	Armored Scales	
	(suppression) Japanese Beetle Adults	
Roses	Lace Bugs	2 ounces = 3 1/2 tbsp
	Leaf Beetles	
	(including Elm Leaf, Virburnum Leaf, and Lil Leaf Beetles)	
	Leaf Hoppers	
	(including Glassy-Winged Sharpshooter)	
	Leafminers	
	(including Birch and Boxwood Leafminers)	
	Mealybugs	
	Pine Tip Moth Larvae	
	Psyllids	
Shrubs	Root Weevil Larvae	4 ounces per foot of plant height
	(including Black Vine Weevils)	
	Sawfly Larvae	
	Soft Scales	
	(including Lobate Lac Scales)	
Thrips	4 ounces = 7 tbsp	
Whiteflies		

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Caution. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before drinking, chewing gum or using tobacco.
For Non-WPS Uses: Applicators and other handlers who handle this product for any use not covered by WPS (40CFR Part 170) – in general only agricultural plant uses are covered by WPS – must wear: shirt, pants, gloves and shoes plus socks.

For new plants, apply when planting.
For established plants, use before pest damage occurs or immediately seen.
Repeat applications every 8 weeks during the growing season.
Apply the required amount of granules evenly on top of soil, mix thoroughly in to the top soil layer, being careful not to damage the upper roots, then water in thoroughly. For flower beds, sprinkle granules evenly over bed.

USER SAFETY RECOMMENDATIONS
USERS SHOULD:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

RESTRICTIONS

- Do not allow runoff or puddling of irrigation water following application.
- Do not apply this product to areas which are water-logged or saturated as this will not allow penetration into the root zone of the plant.
- Do not apply more than 200 pounds (0.4 pound of active ingredient) per acre per year.
- Do not apply to vegetable gardens.
- Do not apply near fish pools, ponds, lakes or streams.
- Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with insecticides.

FIRST AID

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS
This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. To prevent contamination of the environment, do not apply near water, storm drains, gutters or ditches. Do not apply when rain is predicted for that day. Apply this product only to your lawn or garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto the treated area of your lawn or garden.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of reach of children, preferably in a locked storage area.
Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

WARRANTY DISCLAIMER
The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATION OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

NON AGRICULTURAL USE REQUIREMENTS
The requirements in this box apply to uses of this product that are NOT within the scope of the Workers Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries and greenhouses. If watering-in of the product is necessary, do not allow people or pets on treated areas until grass or soil is dry.

LIMITATION OF LIABILITY
TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMER OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF OR ARISING OUT OF THE MISUSE OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

APPLICATION TO ORNAMENTALS
This product can be used as a broadcast application on ornamentals in commercial and residential landscapes. Application should be made prior to anticipated pest infestation to achieve optimum levels of control. Rainfall, irrigation, or mechanical incorporation after application will aid in maximizing control.
Applications of this product cannot exceed a total of 200 pounds (0.4 pound active ingredient) per acre per year.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use this product, and return it unopened to the Seller, and the purchase price will be refunded.
Ferti-lome is a registered Trade Mark of Voluntary Purchasing Groups, Inc.


APPLICATION EQUIPMENT
Apply this product uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply this product. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calculate all spreader equipment at the time of application to achieve the desired application rate.

SPREADER SETTINGS FOR THIS PRODUCT
The following chart can be used as a guide in establishing an accurate rate of this product. The suggested settings should provide an application rate of 3.5 pounds per 1,000 square feet. Application rates will vary dependent upon speed, equipment wear and condition of spreader.

APPLICATION RATES FOR USE ON ORNAMENTALS		
CROP	PEST	DOSAGE
Landscape Plantings including: Trees (including Palms), Shrubs, Evergreens, Flowers, Foliage, Plants, Ground Covers	White grub larvae	3.5 to 4.5 pounds per 1,000 square feet
	Such as: Japanese beetle larvae, Chafers, Phyllophaga spp., Asiatic garden beetle, Oriental beetle	

Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability.
NOTE: Mechanical incorporation, irrigation, or rainfall should occur within 24 hours after application to move the active ingredient into the soil.
Refer to label sections on "APPLICATION EQUIPMENT" and "SPREADER SETTINGS".

Voluntary Purchasing Groups, Inc.
Produced For:
VOLUNTARY PURCHASING GROUPS, INC.
230 FM 87 • BONHAM, TEXAS 75418
EPA Reg No. 228-587-7401
EPA Est. No. 7401-TX-01
Visit Us At: www.ferti-lome.com
Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapico.org/metals.htm>



10720
with Systemic
Palm Tree Food

1-09

10720
Palm Tree Food with Systemic

Net Weight 4 LBS. (1.8 KG)

For Medical Emergencies Only, Call (877) 325-1840
For Chemical Spill, Leak, or Exposure, Call CHEMTREC (800) 424-9300

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

CAUTION
KEEP OUT OF REACH OF CHILDREN
Not for sale, sale info, distributed and/or use in Nassau, Suffolk, Kings and Queens counties in the state of New York.

ACTIVE INGREDIENT:	Imidacloprid.....	0.2%
OTHER INGREDIENTS:	99.8%
TOTAL:	100.0%

• Feeds and protects against insects
• Fertilizer plus insect control in
landscape ornamentals

for up to 8 weeks
with Systemic
Palm Tree Food

12.5"

1.5"

TO OPEN, CUT HERE

RESEALABLE ZIPPER BAG

ferti-lome

Palm Tree Food with Systemic **10720**