

1. IDENTIFICATION

Product name: **Silencer**
 Chemical name of active ingredient(s): **Lambda Cyhalothrin: [1 α (S*),3 α (Z)]-(\pm)-cyano-(3-phenyloxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate**
 Manufacturer: **Makhteshim-Agan of North America**
551 Fifth Avenue, Suite 1100
New York, NY 10176
Phone: 212-661-9800
 For fire, spill, and/or leak emergencies, contact **Infotrac: Phone: 1-800-535-5053**
 For medical emergencies and health and safety inquiries, contact **Prosar: Phone: 1-877-250-9291**

2. COMPOSITION/INFORMATION ON INGREDIENTS

| COMMON NAME | % | OSHA PEL | ACIGH TLV | NTP/IARC/OSHA Carcinogen |
|---|------|----------|-----------|--------------------------|
| Lambda-cyhalothrin (CAS# 91465-08-6) | 11.4 | NE | NE | NA |
| Aromatic solvent (CAS# 64742-94-5) | 80.3 | NE | NE | NA |

NE=None established

NA=Not applicable

3. HAZARDS IDENTIFICATIONS**EMERGENCY OVERVIEW**

DANGER. Corrosive. Causes skin burns. May be fatal if swallowed or inhaled. Causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear protective clothing, gloves, eyewear, and respirator as indicated in Section 8 – Exposure Controls/Personal Protection. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL PROPERTIES

Appearance: Lightly yellow transparent liquid

Odor: Aromatic of solvent

SYMPTOMS OF ACUTE EXPOSURE

May cause eye and skin irritation. Harmful if swallowed. Allergic skin reactions are possible. Exposure to high vapor levels may cause headache, dizziness, numbness, nausea, incoordination, or other central nervous system effects. Skin exposure may also result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2-30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based cream.

HAZARDOUS PRODUCTS OF COMBUSTION

Product can decompose at high temperatures forming toxic gases.

4.FIRST AID MEASURES**FIRST AID**

- IF SWALLOWED:**
- Call a poison control center or doctor immediately for treatment advice.
 - Do not give any liquid to the person.
 - Do not induce vomiting unless told to by a poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

- IF ON SKIN OR CLOTHING:**
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- IF INHALED:**
- Move person to fresh air.
 - If person is not breathing, call 911 or an ambulance and give artificial respiration, preferably mouth-to-mouth, if possible.
 - Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact PROSAR at 1-887-250-9291 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate-vomiting may cause aspiration pneumonia.

5. FIRE FIGHTING MEASURES

FLASH POINT: 62° C (144° F)

FLAMMABLE LIMITS

LFL: Not applicable

UFL: Not applicable

AUTOIGNITION TEMPERATURE: Not available

FLAMMABILITY: Not applicable

EXTINGUISHING MEDIA: Dry chemical, foam or CO₂ extinguishing media.

UNUSUAL FIRE, EXPLOSION, AND REACTIVITY HAZARDS

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

HAZARDOUS DECOMPOSITION PRODUCTS

Product can decompose at high temperatures forming toxic gases.

FIRE-FIGHTING PROCEDURES

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area and equipment until decontaminated. Water runoff can cause environmental damage.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO TAKE FOR SPILLS/LEAKS: Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outline in Section 8 – Exposure Control/Personal Protection. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g., commercial products such as Tide®, Joy®, Spin and Span®). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

HANDLING: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash hands thoroughly with soap and water after handling this product.

STORAGE: Do not use or store near heat or open flame. Store in original containers only. Keep container closed when not in use. Do not store near food or feed. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area. Store material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURER, FORMULATION, PACKAGING AND USE OF THIS PRODUCT:

- Ingestion: Prevent eating, drinking or tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye contact: Where eye contact is likely, use chemical splash goggles.
- Skin contact: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear. Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 – Toxicological Information).
- Inhalation: A combination particulate/organic vapor respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with an R, P, or HE pre-filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Coveralls over long sleeved shirt and long pants
- Chemical resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber, or Viton \geq 14 mils
- Shoes plus socks
- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Lightly yellow transparent liquid

ODOR: Aromatic of solvent

FLASH POINT: 62° C (144° F)

pH: 6.5-7.5

DENSITY: 0.925-0.935 kg/L

SOLUBILITY IN WATER (LAMBDA-CYHALTHRIN TECHNICAL): 0.004 mg/l

VAPOR PRESSURE (LAMBDA-CYHALTHRIN TECHNICAL): 1.5×10^{-9} mmHg @ 68° F (20° C)

10. STABILITY AND REACTIVITY

STABILITY: This product is stable under normal use and storage.

CONDITIONS TO AVOID: Do not use or store near heat or open flame.

MATERIALS TO AVOID: None known.

HAZARDOUS POLYMERIZATION: Not known to occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Can decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION**ACUTE TOXICITY/IRRITATION STUDIES**

Acute Oral LD₅₀ (Rat): 351 mg/kg

Acute Dermal LD₅₀ (Rat): >2,000 mg/kg

Acute Inhalation LC₅₀ (Rat): >2.5 mg/L air (4-hours)

Eye Irritation (Rabbit): Mildly irritating

Dermal Irritation (Rabbit): Slightly irritating

Dermal Sensitization: Not available

REPRODUCTIVE/DEVELOPMENTAL EFFECTS:

Lambda-cyhalothrin
technical: Not a developmental or reproductive toxicant.

CHRONIC/SUBCHRONIC TOXICITY STUDIES:

Lambda-cyhalothrin
technical: Reversible paresthesia (abnormal skin sensation). Reversible clinical signs of neurotoxicity in mammals.

CARCINOGENICITY:

Lambda-cyhalothrin
technical: No treatment-related tumors in rats or mice.

OTHER TOXICITY INFORMATION: In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

TOXICITY OF OTHER COMPONENTS:

Naphthalene (<.1%): Exposure to naphthalene can cause cataracts, liver damage, kidney failure, respiratory failure, hematuria, anemia, damage to red blood cells, leukocytosis, or coma.
NTP: Anticipated carcinogen
IARC: Group 2B – Possible human carcinogen

TARGET ORGANS:

Lambda-cyhalothrin
technical: Liver, nervous system
Naphthalene (<.1%): Eye, liver, kidney, respiratory tract, blood, CNS

12. ECOLOGICAL INFORMATION**SUMMARY OF EFFECTS:**

Slightly toxic to birds. Highly toxic to fish, invertebrates and bees. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

ECO-ACUTE TOXICITY:

(Lambda-cyhalothrin technical)

| | |
|--|--------------|
| Bees LC50/EC50: | 0.038 ug/bee |
| Invertebrates (water flea) LC50/EC50: | 0.00036 ppm |
| Fish (trout) LC50/EC50: | 0.00024 ppm |
| Fish (bluegill) LC50/EC50: | 0.00021 ppm |
| Bird (Bobwhite quail) 8-day dietary LC50/EC50: | >5300 ppm |
| Bird (Mallard duck) 8-day dietary LC50/EC50: | >3948 ppm |

ENVIRONMENTAL FATE:

Lambda-cyhalothrin
technical: Not persistent in soil or water, Immobile in soil. Sinks in water after 24 hours.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions,

MATERIAL SAFETY DATA SHEET

Silencer™

Page 5 of 5

contact your state pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. CONTAINERS ARE NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Non-bulk: UN 3352, Pyrethroid pesticides, liquid, toxic, 6.1, PGIII

Bulk or vessel: UN 3352, Pyrethroid pesticides, liquid, toxic (contains Lambda-cyhalothrin 11.4%), 6.1, PGIII, Marine Pollutant

B/L Freight Classification: Item: 45617 [Fungicides, Herbicides, Insecticides, or Rodenticides]
Class 77.5

INTERNATIONAL TRANSPORTATION:

IMO (vessel): UN 3352, Pyrethroid pesticides, liquid, toxic (contains Lambda-cyhalothrin 11.4%), 6.1, PGIII, Marine Pollutant

IATA (air): UN 3352, Pyrethroid pesticides, liquid, toxic, 6.1, PGIII

15. REGULATORY INFORMATION

SARA TITLE III CLASSIFICATION:

Section 302: Not applicable
Section 311/312: Acute health hazard (immediate)
Chronic health hazard (delayed)
Section 313: Naphthalene (0.0803%) CAS: 91-20-3

CA PROPOSITION 65: Naphthalene

CERCLA RQ: 133 gallons product (100 lbs Naphthalene)

RCRA CLASSIFICATION: Not applicable

TSCA STATUS: Not applicable

16. OTHER INFORMATION

NFPA HAZARD RATINGS

| | | | |
|----------------------|---|---|----------|
| | | 0 | MINIMAL |
| HEALTH: | 2 | 1 | SLIGHT |
| FLAMMABILITY: | 1 | 2 | MODERATE |
| REACTIVITY: | 0 | 3 | HIGH |
| | | 4 | SEVERE |

MSDS revised: 3-10-05, supercedes version dated 2-24-05.

The information herein is given in good faith, but no warrant, express or implied, is made. Consult Makhteshim-Agan of North America, Inc. for further information.