NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

GRASS GETTER®

Postemergence Grass Herbicide

- Intended for residential/homeowner use on and around Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See Table 2. Fruits and Vegetables for specific crops).
- Systemic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtail, quackgrass and many other weedy grasses.

Active Ingredient:	
Sethoxydim: 2-[1-(ethoxyimino) butyl]-5-[2-(ethylthio)propyl] -3-hydroxy-2-cyclohexen-1-one**	18.0%
Other Ingredients	82.0%
Total:	100.0%

**Equivalent to 1.5 pounds sethoxydim per gallon.
Contains petroleum distillate.

® Grass Getter is a registered trademark of Lawn and Garden Products, Inc.

EPA Reg. No. 7969-58-54705 EPA Est. No. 48498-CA-1

ATTENTION: This product contains naphthalene which is a chemical known to the State of California to cause cancer.

NET CONTENTS: ½ Pint, 1 Pint or 1 Gallon

Manufactured for:
Lawn and Garden Products, Inc.
P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
www.montereylawngarden.com

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If Swallowed:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center. • Do not give anything by mouth to an unconscious person.
If On Skin Or Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If In Eyes:	• Hold eye open and rinse slowly and gently with water 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. • Call poison control center or doctor treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357)

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Warning: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. Do not get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal law. This pesticide is toxic to vascular plants and should be used strictly in accordance with drift precautions on this label in order to minimize off-site exposures.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

GRASS GETTER is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See **Tolerant Plants**). GRASS GETTER can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

GRASS GETTER can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

Barnyardgrass
Bermudagrass
Broadleaf Signalgrass
Crabgrass, (Large, Smooth)
Fall Panicum
Foxtails (Giant, Green, Yellow)
Goosegrass
Johnsongrass (Seedling, Rhizome)
Junglerice
Lovegrass
Orchardgrass, Seedling
Quackgrass
Tall Fescue, Seedling
Texas Panicum
Shattercane/Wildcane
Wild Proso Millet
Wirestem Muhly
Witchgrass
Woolly cupgrass

Note: This product does not control sedge (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant to GRASS GETTER.

APPLICATION TIMING: Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **Do not** mow or cut off tops of weeds before spraying. **Do not** apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity.

TABLE 1. GRASS GETTER AND OIL CONCENTRATE DILUTION

Water to be Used (gallons)	Amount of Grass Getter®		Amount of Oil Concentrate*		Coverage In Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	2	1,800
3	3	6	3	6	5,500

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

5 8	5 8	10 16	5 8	10 16	9,100 14,600

One gallon of spray will treat 1,800 square feet of area.
*To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature ºF + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed

Determine the area to treat in square feet. Pour 1 fluid ounce GRASS GETTER and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1800 square feet to be treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed

Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce GRASS GETTER plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet. Wash sprayer by flushing soapy water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS: GRASS GETTER may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at labeled rates. **Do not** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to GRASS GETTER (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak, and ornamental grass.

GRASS GETTER may also be used on the following non-bearing food plants. **Do not** apply within 1 year of harvest.

Avocados	Olives	Pomegranates
Dates	Plums	Prumes
Figs		

FRUITS AND VEGETABLES (Use Only with Tank Type Sprayers):
Use GRASS GETTER on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. Apply on and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except peanut and strawberry.

The quantities presented in the **Table 1. GRASS GETTER (CONCENTRATE) AND OIL CONCENTRATE DILUTION** do not exceed the registered rates for the fruits and vegetables listed. **Do not** exceed the quantities presented.

Table 2. FRUITS AND VEGETABLES

CROP	Minimum time from last application to harvest (days)
Apple	14
Apricot	25
Artichoke (California Only)	7
Asparagus	1
Beans, dry	30
Beans, green	15
Beet (garden)	60
Blackberry	45
Blueberry[1]	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (sweet and sour)	25
Citrus	15
Crabapple	14
Cranberries[1]	60
Cucumber	14
Eggplant	20
Endive (Florida only)	15
Grape	50
Horseradish	60
Lentils[1]	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20
Muskmelon	14
Onion, garlic	30
Peach	25
Peanut[2]	40
Pear	14
Peas, green	15
Peas, dry	30
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Spinach	15
Squash (all)	14
Strawberry[2]	7
Tomato	20
Tree Nuts	15
Watermelon	14

[1]Not for use in California
[2]Use no more than one (1) application per season. Up to 2 applications per season may be made on all other plants.

TOLERANT PLANTS

Trees
Listed by common name

Acacia, Knife Leaf
Arborvitae, Eastern (var. Teehny)
Arborvitae, Berkmans, Oriental
Ash, Green
Ash, Mountain
Ash, Mountain
Ash, White
Basswood, American
Berkmans, Oriental
Birch
Birch, Asian White (var. Japonica)
Birch, European White
Birch, paper
Birch, River, Black or Red
Black Locust
Bottle-brush
Bottle Tree
Brisbane Box Tree
Cajeput Tree
Carob Tree
Carrot Wood
Catalpa, Southern
Cherry, Black
Cherry, Carolina
Crabapple, Flowering (var. Dalgo, Radiant, Red Splendor, Royalty, Vanguard, Sylvestris, Domestic)
Cypress, False
Cypress, Leyland
Cypress, Italian
Dogwood, Flowering
Dogwood, Silky
Dogwood, Pagoda
Elm, Chinese Evergreen
Eucalyptus
Fir
Fir, Douglas
Fir, Frasier
Fir, White
Goldenrain Tree
Guava
Guava, Pineapple
Gum, Blue
Gum, Lemon-scented
Gum, Red Box
Hackberry, Common
Hemlock, Canadian
Holly, Chinese (var. Bufordii, Rotunda)
Holly, Hybrid (Var: Nellie Stevens)
Holly, Japanese (var. Convexa, Compacta, Helleri, Hoogendorn)
Holly Yaupon
Ironbark, Red
Myoporum
New Zealand Christmas Tree
Oak
Oak, Water
Oak, Willow
Olive Tree
Olive, Russian
Orchid Tree, Purple
Osage Orange
Palm, Mediterranean fan
Palm, Pygmy Date
Palm, Queen
Palm, Sago
Palm, Windmill
Palo Verde, Green
Paulawnia, Royal
Pear, Common
Pear, Evergreen
Pear, Ussurian
Pepper, Brazilian
Pine, Aleppo
Pine, Austrian
Pine, Canary Island
Pine, Caribbean Slash
Pine, Italian Stone
Pine, Jack
Pine, Japanese Black
Pine, Loblolly
Pine, Mugo
Pine, Ponderosa, Western Yellow
Pine, Red
Pine, Scotch
Pine, Shore
Pine, Slash
Pine, Southern
Pine, Virginia
Pine, White *(Pinus parvilora)*
Pine, White (*Pinus strobus)*
Pine, Yew
Plum, Wild
Poplar, Hybrid
Poplar, Yellow, Tulip Tree
Purpleleaf, Bailey Acacia
Redwood, Coast
Sandcherry, Western
Sensitive Plant
Silktree
Spruce, Black Halls (var: Densata)
Spruce, Colorado Blue
Spruce, Norway
Spruce, White
Strawberry Tree
Sumac, Standard, African

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

Jacaranda
Kentucky Coffee Tree
Larch, European
Laurel, Indian
Linden
Linden, Littleleaf
Locust, Honey
Loquat
Magnolia, Southern
Maple, Red
Maple, Japanese
Maple, Silver
Mimosa Tree
Sweet Gum
Sycamore
Tea Tree, Australian
Tipu Tree
Walnut, Black
Weeping Fig, Exotica
Willow
Willow, Australian
Willow, Desert
Willow, Peppermint
Yate, Bushy
Yew, English

Srubs

Listed by common name

Abelia, Glossy
Acacia, Bailey
Acacia, Knife Leaf
Acacia, Prostrate
Acacia Sydney Golden Wattle
Andromeda
Arborvitae, Oriental
Arrowood, Southern
Azalea, Mollis hybrid
Azalea, Northern lights hybrid
Bamboo, Heavenly
Barberry, Japanese
Barberry, Korean
Barberry, Redleaf
Bird of Paradise Bush
Bluebeard
Boxwood, Common
Boxwood African
Boxwood, Japanese (var. Japonica)
Buckthorn, Glossy, Alder
Camellia
Cedar, Eastern Red (var. Pyramidiformus canearti)
Cherry, Brush
Cherry, Manchu
Chokecherry sp.
Copper Plant, Caribbean
Cotoneaster, Bearberry
Cotoneaster, Cranberry
Cotoneaster, Peking
Coyota Bush
Cranberry Bush, American
Cranberry Bush, Golden
Crape Myrtle
Current, Alpine
Dogwood, Red Osier
Elaeagnus
Escallonia
Euonymus
Euonymus, Evergreen (var. Golden, Silver King)
Euonymus, Winged
Fig, Creeping
Firethorn
Forsythia, Greenstem
Flax, New Zealand
Fuchsia, Australian
Gardenis (var. Mystery, Radicans)
Gardenia Dwarf (var. Veitchii)
Gold Vine, Guinea
Hakea
Hawthorn, Indian
Hibiscus, Blue
Hibiscus, Chinese
Holly, Dwarf Burford
Honeysuckle, Bush
Honeysuckle, Cape
Hydrangea
Jasmine, Asiatic
Jasmine, Orange
Jasmine, Star
Jasmine, Winter
Jessamine, Carolina
Jojoba
Juniper, Chines (var. Maneyi, Old Gold, Pfitzeriana, Sea Green, Hetzii, Nana, Torulosa, Pfitzerana Aurea, Pfitzer, Golden Pfitzer)
Juniper, Creeping (var. Bluechip, Huges, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown Blue Rug)
Juniper, Ozark
Jumiper, Rocky Mountain (var. Blue Heaven, Welchii, Wishita Blue, Medova, Moffet, Pyamidas, Green, Springtime, Admiral)
Juniper, Savin (var. Skandia, Arcadia, Broadmoor, Buffalo, Pepin)
Juniper, Shore (var. Compacta)
Juniper, Tam (var. Tamariseifolia)
Lantana, Purple Trailing
Laurustinus
Lemonade Sumad
Lilac, Common Purple
Liriope, Green
Liriope, Variegated
Mickey Mouse Bush
Mirror Plant, Creeping
Mock Orange
Mountain Lilac, Carmel Creeper
Myrtle, Dwarf
Nandina, Heavenly Bamboo
Nannyberry
Ninebark
Ninebark (var. Aureus)
Oleander
Orchid, Rockrose
Oregon Grape
Osmanthus, Holly-leaf
Osmanthus, Sweet Olive
Palm, Natal (var. Green Carpet Tuttle)
Pampas Grass
Photinia
Photinia, Fraser
Pinklady
Pink Powder Puff
Pittosporum, Variegated Japanese
Plumbago, Cape
Podocarpus, Yew
Princess Flower
Privet
Privet, Glossy (var. Lake Tresca)
Privet, Japanese, Waxwood
Privet, Texas
Purple Hop Bush
Pyracantha
Rhododendron – Azalea (var. Hinocrimson, Hershey Red, Coral Blue, Hinodigiri, Christmas Cheer, Pink Ruffle, Formosa Flame, Delaware Valley White, New White)
Sandcherry, Purpleleaf
Serviceberry, Allegheny
Serviceberry, Saskatoon (var. Regent)
Silver King
Sky Flower, Brazilian
Snowball Bush
Spindle Tree
Spirea
Spirea (var. Anthony Waterer, Frobellii, Goldflame)
Spirea (var. Fairy Queen)
Spirea (var. Snowbound)
Star Plant, Lavender
Tea Tree, Australian
Tea Tree, New Zealand (var. Red Glow)
Texas Ranger
Toyon, California Holly
Trumpet Vine, Pink
Veronica (var. Coed)
Viburnum, Japanese
Viburnum, Sandankwa
Wayfaring Tree
Weeping Fig, Exotica
Wheelers Dwarf, Variegated (var. Wheller)
Yellow Bells
Yesterday-Today-and-Tomorrow
Yew

Ornamentals, Bedding Plants

Listed by common name

Alyssum
Asparagus, Myers (var. Meyeri)
Asparagus, Sprenger (var: Sprengeri)
Aster, New York
Aster, Stokes (var. Blue, White)
Baby's Breath (var. Bristo Fairy)
Begonia
Bellflower, Tussock (var. Canterbury Bells)
Bittersweet, American
Black-eyed Susan (var. Goldilocks)
Bleeding Heart
Bower Vine
Butterfly Weed
Cactus, Barrel
Candytuff
Canna
Cassia, Feathery
Chrysanthemum Marguarite
Cockscomb
Coleus
Coneflower, Purple (var. Gloriosa Dairy)
Coral Bells
Coreopsis (var. Sunray)
Cup of Gold Vine
Daffodil
Dahlia
Daisy Bush
Daisy Bush, Blue
Daisy, Shasta (var. Alaska)
Daylily
Dianthus
Dragonhead, False
Dusty Miller
Fern, Sprenger Asparagus
Fescue, Blue
Flowering tobacco
Fountain Grass, Red
Gazania
Geranium
Geranium, Martha Washington
Gerbera Daisy
Geum (var. Lady Strathedon, Mrs. Bradshaw, Mrs. Bradshaw Improved)
Gladiolus
Heather, False
Honeysuckle, Amar
Honeysuckle, Fly (var. Emerald Mound, Clavey's Dwarf)
Honeysuckle, Japanese
Honeysuckle, Morrow
Honeysuckle, Tatarian (var. Zabeli)
Hopseed Bush, Purple
Impatiens
Iris
Iris, African
Ivy, Grape (var. Ellen Danica)
Jack-in-the Pulpit
Jade Plant
Jasmine, Madagascar
Lamb's Ear
Lavender, English
Lavender, French
Lavender, Cotton
Lilac Chinese
Lilac, Common Purple (var. Charles Joly, Ludwig Spaeth, Jay Tree)
Lilac, Meyer (var. Palibin)
Lilac, Korean (var. Miss Kim)
Lilac, Mountain
Lily-of-the-Nile, Peter Pan
Lily-of-the-Valley
Lobelia
Marigold
Mirror Plant
Mirror Plant, Variegated
Moneywort, Creeping Jenny
Moss, Rose
Moss, Sandwort
Pansy, Johnny-Jump-Up
Pepper, Ornamental
Periwinkle, Madagascar
Petunia
Phlox, Perennial
Plantain Lily
Purple Loosestrife (var. Morden's Gleam)
Raspberry Ice
Sage
Sea Pinks, Thrift
Sedum, Stonecrop
Shrimpplant
Sky Flower, Brazilian
Snail Vine
Snapdragon
Speedwell, Spike
Statice, Perennial
Stock
Sweetgrass
Sweet William
Transvaal Daisy
Trumpet Vine, Blood red
Trumpet Vine, Lavender
Trumpet Vine, Pink
Tulip
Verbena
Wandering Jew
Wisteria
Yarrow (var. Cerise Queen)
Yarrow, Debutant
Yellow Trumpet
Zinnia

Ground Covers

Listed by common name

Aaron's Beard
Aptenia (var. Red Apple)
Bergenia, Winter-blooming
Bugleweed
Capeweed
Carpathian, Harebell
Cinquefoil, Spring
Coyote Brush (var: Twin Peaks)
Crown Vetch
Cushion Bush
Daisy, Trailing African, Freeway
Daisy, White African
Gazania, Trailing
Ivy, Hahn's (var. Hahnii)
Lantana, Lavender
Lily Turf, Big Blue
Lippia
Mondo Grass
Myoporum (var. Prostratum)
Pachysandra
Periwinkle
Plumbago, Dwarf
Pork and Beans
Rosea Ice Plant
Rosemary, Dwarf (var: Prostratus)
Rupture Wort

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

Green Carpet
Ivy, Algerian
Ivy, Boston
Ivy, English
Ivy, Grape (var. Ellen Danica)
St. Johnswort, Creeping
Stonecrop, Sedum
Verbena
Verbena, Blue

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals. Never transfer this product to another container for storage.

CONTAINER DISPOSAL: Nonrefillable container. DO NOT reuse or refill this container. **If empty**: Offer for recycling if available. **If partly filled**: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all liability, including personal injury and property damage which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND LAWN AND GARDEN PRODUCTS' EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LAWN AND GARDEN PRODUCTS, INC. AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.

BASF-022510
0397/0410(03)